

Curriculum Vitae

NAME : Rattana Leelawattana

PERSONAL : Born : Bangkok, Thailand

Date of birth : 20 October 1961

Citizenship : Thai

ADDRESS : Division of Endocrinology and Metabolism

Department of Medicine

Faculty of Medicine

Prince of Songkla University

Had-Yai, Songkla, Thailand 90110

Tel (074) 451452

Fax (074) 429385

e-mail lrattana@medicine.psu.ac.th

EDUCATION :

Mahidol University, Bangkok, Thailand

M.D.

1985

Siriraj Hospital, Mahidol University, Bangkok, Thailand

Resident in Internal Medicine

1989-1992

Washington University School of Medicine,

St.Louis, Missouri, U.S.A.

Fellow in Bone and Mineral Metabolism

1995-1997

CERTIFICATION

- Thai Board of Internal Medicine

- Certificate of Fellowship in Bone and Mineral Metabolism

(Barnes Hospital and Washington University School of Medicine,

St.Louis, Missouri, U.S.A.)

- Subboard of Thai Endocrinology & Metabolism

2004

ACADEMIC RANK

Clinical Instructor in Medicine

1992-1999

Assistant Professor of Medicine

1999-

Faculty of Medicine, Prince of Songkla University

BIBLIOGRAPHY :

1. [Apolipoprotein B as an independent predictor of arterial stiffness in systemic lupus erythematosus patients.](#)

Kwankaew J, Leelawattana R, Saignam A, Siripaitoon B, Uea-Areewongsa P, Juthong S.

Int J Rheum Dis. 2014 May 5. doi: 10.1111/1756-185X.12384

2. Lean mass inversely predicts plasma glucose levels after oral glucose load independent of insulin secretion or insulin sensitivity in glucose intolerance subjects. Kwankaew J, Saetung S, Chanprasertyothin S, Leelawattana R, Rattarasarn C.

Endocr J. 2014;61(1):77-83. Epub 2013 Oct 22.

3. Acute severe hypercalcemia after traumatic fractures and immobilization in hypophosphatasia complicated by chronic renal failure. Whyte MP, Leelawattana R, Reinus WR, Yang C, Mumm S, Novack DV. J Clin Endocrinol Metab. 2013 Dec;98(12):4606-12. doi: 10.1210/jc.2013-1811. Epub 2013 Sep 24.

4. The association between CYP 2C9 polymorphism and bone health. Phabphal K, Geater A, Limapichat K, Sathirapanya P, Setthawatcharawanich S, Leelawattana R. Seizure. 2013 Nov;22(9):766-71. doi: 10.1016/j.seizure.2013.06.003. Epub 2013 Jul 10.

5. Effect of switching hepatic enzyme-inducer antiepileptic drug to levetiracetam on bone mineral density, 25 hydroxyvitamin D, and parathyroid hormone in young adult patients with epilepsy. Phabphal K, Geater A, Limapichat K, Sathirapanya P, Setthawatcharawanich S, Leelawattana R. Epilepsia. 2013 Jun;54(6):e94-8. doi: 10.1111/epi.12162. Epub 2013 Apr 15.

6. The association between Bsm1 polymorphism and bone mineral density in young patients with epilepsy who are taking phenytoin. Phabphal K, Geater A, Limapichat K, Sathirapanya P, Setthawatcharawanich S, Witeerungrot N, Thammakumpee N, Leelawattana R. Epilepsia. 2013 Feb;54(2):249-55. doi: 10.1111/epi.12049. Epub 2013 Jan 2.

7. Acute severe hypercalcemia after traumatic fracture and immobilization in an adult with hypophosphatasia complicated by renal failure. Whyte MP, Leelawattana R, Reinus WR, Novack DV. Bull Group Int Rech Sci Stomatol Odontol. 2012 Jul 30;51(1):e18. No abstract available.

8. Efficacy and safety of generic and original pioglitazone in type 2 diabetes mellitus: a multicenter, a double-blinded, randomized-controlled study. Rawdaree P, Deerochanawong C, Peerapatdit T, Thongtang N, Suwanwalaikorn S, Khemkha A, Benjasuratwong Y, Boonyavarakul A, Chetthakul T, Leelawattana R, Ngarmukos C, Viwatwongkasem C, Pratipanawatr T, Kosachunhanun N. J Med Assoc Thai. 2010 Nov;93(11):1249-55.

9. Contribution of skeletal muscle mass on sex differences in 2-hour plasma glucose levels after oral glucose load in Thai subjects with normal glucose tolerance. Rattarasarn C, Leelawattana R, Soonthornpun S. Metabolism. 2010 Feb;59(2):172-6. doi: 10.1016/j.metabol.2009.06.029. Epub 2009 Sep 17.

10. Prevalence and risk factors of low bone mineral density and 25-hydroxyvitamin D status in young healthy epileptic adult patients in a tropical Asian country taking antiepileptic drug. Phabphal K, Geater A, Leelawattana R, Sathirapunya P, Sattawatcharawanich S, Limapichat K. Bone. 2009 Aug;45(2):232-7. doi: 10.1016/j.bone.2009.04.235. Epub 2009 Apr 24.

11. Bone mineral density following long-term use of antiepileptic drugs in a tropical Asian country. Phabphal K, Limapichat K, Sathirapanya P, Setthawatcharawanich S, Leelawattana R, Thammakumpee N, Thamprasit A, Geater A. *Epileptic Disord.* 2008 Sep;10(3):213-8. doi: 10.1684/epd.2008.0208.
12. Thailand diabetes registry project: prevalence of vascular complications in long-standing type 2 diabetes. Leelawattana R, Pratipanawat T, Bunnag P, Kosachunhanun N, Suwanwalaikorn S, Krittiyawong S, Chetthakul T, Plengvidhya N, Benjasuratwong Y, Deerochanawong C, Mongkolsomlit S, Ngarmukos C, Rawdaree P. *J Med Assoc Thai.* 2006 Aug;89 Suppl 1:S54-9.
13. Decreased insulin secretion but not insulin sensitivity in normal glucose tolerant Thai subjects. Rattarasarn C, Soonthornpan S, Leelawattana R, Setasuban W. *Diabetes Care.* 2006 Mar;29(3):742-3. No abstract available.
14. Validation of the OSTA index for discriminating between high and low probability of femoral neck and lumbar spine osteoporosis among Thai postmenopausal women. Geater S, Leelawattana R, Geater A. *J Med Assoc Thai.* 2004 Nov;87(11):1286-92.
15. Gender differences of regional abdominal fat distribution and their relationships with insulin sensitivity in healthy and glucose-intolerant Thais. Rattarasarn C, Leelawattana R, Soonthornpun S, Setasuban W, Thamprasit A. *J Clin Endocrinol Metab.* 2004 Dec;89(12):6266-70.
16. Regional abdominal fat distribution in lean and obese Thai type 2 diabetic women: relationships with insulin sensitivity and cardiovascular risk factors. Rattarasarn C, Leelawattana R, Soonthornpun S, Setasuban W, Thamprasit A, Lim A, Chayanunnukul W, Thammakumpee N, Daendumrongsub T. *Metabolism.* 2003 Nov;52(11):1444-7.
17. Causes of death, incidence and risk factors of cardiovascular diseases in Thai type 2 diabetic patients: a 5 year follow-up study. Leelawattana R, Rattarasarn C, Lim A, Soonthornpun S, Setasuban W. *Diabetes Res Clin Pract.* 2003 Jun;60(3):183-9.
18. Relationships of body fat distribution, insulin sensitivity and cardiovascular risk factors in lean, healthy non-diabetic Thai men and women. Rattarasarn C, Leelawattana R, Soonthornpun S, Setasuban W, Thamprasit A, Lim A, Chayanunnukul W, Thammakumpee N. *Diabetes Res Clin Pract.* 2003 May;60(2):87-94.
19. Hypovitaminosis D in long-stay hospitalized patients in Songklanagarind Hospital. Warodomwichit D, Leelawattana R, Luanseng N, Thammakumpee N. *J Med Assoc Thai.* 2002 Sep;85(9):990-7.
20. Screening for microalbuminuria in type 2 diabetes: a reconsideration. Soonthornpun S, Leelawattana R, Thamprasit A, Rattarasarn C, Setasuban W, Thammakumpee N. *J Med Assoc Thai.* 2002 May;85(5):604-11.

21. The role of diminished beta cell reserve and insulin resistance in secondary sulfonylurea failure of type 2 diabetes mellitus.Rattarasarn C, Thamprasit A, Leelawattana R, Soonthornpun S, Setasuban W.J Med Assoc Thai. 2001 Dec;84(12):1754-62.
22. Comparison of autoantibodies to IA-2 and GAD65 in the rapid- and the slow-onset, adult Type 1 diabetes in Thailand.Rattarasarn C, Diosdado MA, Ortego J, Freire JM, Leelawattana R, Soonthornpun S, Setasuban W.Diabet Med. 2001 Sep;18(9):770-2. No abstract available.
23. The oxidative metabolism of estradiol conditions postmenopausal bone density and bone loss.Leelawattana R, Ziambaras K, Roodman-Weiss J, Lyss C, Wagner D, Klug T, Armamento-Villareal R, Civitelli R.J Bone Miner Res. 2000 Dec;15(12):2513-20.
24. Thyroid autoantibodies in Thai type 1 diabetic patients: clinical significance and their relationship with glutamic acid decarboxylase antibodies.Rattarasarn C, Diosdado MA, Ortego J, Leelawattana R, Soonthornpun S, Setasuban W, Jaruratanasirikul S, Patarakijvanich N. Diabetes Res Clin Pract. 2000 Aug;49(2-3):107-11.
25. The utility of conventional dipsticks for urinary protein for screening of microalbuminuria in diabetic patients.Soonthornpun S, Thammakumpee N, Thamprasit A, Rattarasarn C, Leelawattana R, Setasuban W.J Med Assoc Thai. 2000 Jul;83(7):797-803.
26. Postprandial plasma glucose: a good index of glycemic control in type 2 diabetic patients having near-normal fasting glucose levels.Soonthornpun S, Rattarasarn C, Leelawattana R, Setasuban W.Diabetes Res Clin Pract. 1999 Oct;46(1):23-7.
27. Calcinosis universalis complicating juvenile dermatomyositis: resolution during probenecid therapy.Eddy MC, Leelawattana R, McAlister WH, Whyte MP.J Clin Endocrinol Metab. 1997 Nov;82(11):3536-42. No abstract available.
28. Effect of pravastatin in treatment of hypercholesterolemia in non-insulin-dependent diabetes patients.Soonthornpun S, Rattarasarn C, Leelawattana R, Thamprasit A.J Med Assoc Thai. 1997 Jan;80(1):9-15.
29. Absence of paramyxovirus transcripts in juvenile Paget bone disease.Whyte MP, Leelawattana R, Reddy SV, Roodman GD.J Bone Miner Res. 1996 Jul;11(7):1041. No abstract available.